








电容式

Product picture	Part Number	Inductance(uH) ((100kHz/0.1V))min	Common mode Impedance (ohm ±25%@100M)	DC Resistance (Ω) max	RatedCurrent (mA) max	Circuit Diagram	Package	Size (mm)	MPQ (pcs)
	CND-WCM0805M801-2		800	0.88	300		2012	2.0*1.2*1.2	
	CND-WCM2012F2SF-801		800	0.88	300		2012	2.0*1.2*1.2	
	CC2012A-371		370	0.50	300		2012	2.0*1.2*1.2	
	CC2012A-381		380	0.40	300		2012	2.0*1.2*1.2	
	CC2012A-750		75	0.70	280		2012	2.0*1.2*1.2	
	CC2012A-751		750	0.70	180		2012	2.0*1.2*1.2	
	CC2012A-801		800	0.88	300		2012	2.0*1.2*1.2	
	CC2012A-801Q		800	0.80	300		2012	2.0*1.2*1.2	
	CC2012F-601		600	0.88	300		2012	2.0*1.2*1.2	
	CC2012E-801		800	0.88	300		2012	2.0*1.2*1.2	
	WCM2012F2SF-121T04 H		120	0.30	400		2012	2.0*1.2*1.2	
	WCM2012F2SF-361T03 H		360	0.50	400		2012	2.0*1.2*1.2	
	WCM2012F2SF-670T04 H		67	0.25	400		2012	2.0*1.2*1.2	
	WCM2012F2SF-900T04 H		90	0.30	400		2012	2.0*1.2*1.2	
	WCM2012L2NF-900T04 H		90	0.30	400		2012	2.0*1.2*1.2	
	HDMI2012F2SF-670T04 H		67	0.30	400		2012	2.0*1.2*1.2	
	HDMI2012F2SF-900T04 H		90	0.30	400		2012	2.0*1.2*1.2	
	CM2012B801Z F		800	0.88	300		2012	2.0*1.2*1.2	
	CM0805SG801		800	0.88	300		2012	2.0*1.2*1.2	
	CMC2012S-801-2P C		800	0.75	300		2012	2.0*1.2*1.2	
	CW2012-2-801TS		800	0.78	300		2012	2.0*1.2*1.2	
	LG2012T01 X		800	0.88	300		2012	2.0*1.2*1.2	
	LC2012A801T J		800	0.88	300		2012	2.0*1.2*1.2	
	WBA0805D801PT-HF M		800	0.88	300		2012	2.0*1.2*1.2	
	WBA0805D900PT04		900	0.35	400		2012	2.0*1.2*1.2	
	SCM2012NF801T S		800	0.88	300		2012	2.0*1.2*1.2	
	UTC2012C01 Q		800	0.90	300		2012	2.0*1.2*1.2	
	UTC2012C08 Q		800	0.88	300		2012	2.0*1.2*1.2	
	LC0402SN F		800	0.88	300		2012	2.0*1.2*1.2	
	NLCM0805-X A		800	1.00	300		2012	2.0*1.2*1.2	
	CM3216A-550	55		1.40	200		3216	3.4*1.6*2.1	
	CM3216A-600	60		1.70	200		3216	3.4*1.6*2.1	
	CM3216SG600	60		1.70	200		3216	3.4*1.6*2.1	
	CW3216L-2-600TS	60		1.70	200		3216	3.4*1.6*2.1	
	DCM321620F2SF-550T02 C8 H	55		1.70	200		3216	3.4*1.6*2.1	
	DCM321620F2SF-600T02 H	60		1.10	200		3216	3.4*1.6*2.1	
	DWC321622NF-300 H	30		3.00	200		3216	3.4*1.6*2.1	
	LG3216T01 X	60		1.70	200		3216	3.4*1.6*2.1	
	LC3216A600M J	60		1.70	200		3216	3.4*1.6*2.1	
	WBA3416L400T-D M	40		2.00	200		3216	3.4*1.6*2.1	
	WBA3416L600T-D M	60		1.70	200		3216	3.4*1.6*2.1	
	SCM3216NF600T S	60		1.50	200		3216	3.4*1.6*2.1	
	UTD3216C01 Q	60		1.70	200		3216	3.4*1.6*2.1	
	UTD3216C07 Q	55		1.40	200		3216	3.4*1.6*2.1	
	WCM3216F2SF-222T02 H		2200	1.20	200		3216	3.4*1.6*2.1	
	WCM3216F2SF-900T04 H		90	0.30	400		3216	3.4*1.6*2.1	
	DM3416A550L F	55		1.30	200		3216	3.4*1.6*2.1	

	LG3216T01 X	60		1.70	200		3216	3.4*1.6*2.1	
	LC3216A600M J	60		1.70	200		3216	3.4*1.6*2.1	
	SCM3216NF600T S	60		1.50	200		3216	3.4*1.6*2.1	
	LC0403SN F	60		1.70	200		3216	3.4*1.6*2.1	
	NLDM3216-X A	250		2.00	200		3216	3.4*1.6*2.1	
	DCM3532F2SF-800T02 H		75-160	1.30	200		3532	3.5*3.3*2.2	
	CM3225T-801		800	0.50	500		3225	3.3*2.5*2.25	
	CM4532S-201-A		200	4.50	70		4532	4.5*3.2*3.0	
	DWC321622NF-601	55		3.20	200		3216	3.4*1.6*2.2	
	CM3216D11-601	55		3.00	200		3216	3.4*1.6*2.2	
	CM3216D10-601	55		3.20	200		3216	3.4*1.6*2.2	
	CM3216D25-501	55		3.00	200		3216	3.4*1.6*2.2	
	CM3225D-500	50		3.00	200		3225	3.4*2.5*2.9	
	TXF353229NF-121P1-H1	120					3225	3.5*3.20*2.9	
	TNH453229NF-121-PH	120					4532	4.6*3.25*2.9	
	WCM3225F2SF-102T04 H		120				3225	3.2*2.50*2.2	

电感式

[illegible]